



# Gazpromneft Premium L 5W-30

Passenger Vehicle Engine Oils



Engine oil



Semisynthetic



Engine cleanliness



Gasoline and diesel engines



Multigrade



Advanced polymers

**Gazpromneft Premium L 5W-30** is high quality semi-synthetic engine oil providing excellent high temperature wear protection, cold start performance and inhibits deposit formation. It is formulated with the use of synthetic technology and advanced additive system to provide improved performance level compared with conventional oils. Gazpromneft Premium L 5W-30 provides long engine life for many types and ages of vehicles with enhanced protection over a wide temperature range.

# **Applications**



- Turbo-charged and direct injection high performance engines
- Gasoline and diesel engines without diesel particulate filters (DPF) requiring oil with ACEA A3/B3 or API SL, API CF standards
- · Passenger cars, SUV's, light trucks and vans

Features	Advantages and Potential Benefits	
Multi-purpose application	High quality formulation suitable for a wide range of vehicles requiring premium quality product	
Excellent low temperature performance	Quick cold weather starting helps to extend engine life	
Wear protection	Strong oil film provides protection against wear under all operating conditions for long engine life	
Improved thermal and oxidation stability	Helps to resist oil aging allowing extended drain interval protection	
Deposit control	Prevents forming of sludge and harmful deposits through the use of advanced detergent additives for engine cleanliness	
Stay-in-grade Keeps protective oil film during the whole drain interval and n viscosity grade		

# Recommendations

# Meets the requirements

- ACEA A3/B3
- API SL
- API CF

• AVTOVAZ

ISO 9001

**ISO 14001** 

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.gazpromneft-oil.com ISO/TS 16949 OHSAS 18001

CERTIFIED

While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <a href="https://oii.org/10.1147/04/2020">Oiii.org/10.1147/04/2020</a>

## **Typical Characteristics**

Properties	Method	Gazpromneft Premium L 5W-30
SAE Viscosity Grade	SAE J300	5W-30
Kinematic Viscosity @40°C, mm <sup>2</sup> /s	ASTM D445	71,1
Kinematic Viscosity @100°C, mm <sup>2</sup> /s	ASTM D445	11,7
Viscosity Index	ASTM D2270	160
Flash Point (COC), °C	ASTM D92	230
Pour Point, °C	ASTM D97	-41
Total Base Number, mg KOH/g	ISO 6619	9,0
Density @15°C, kg/m <sup>3</sup>	ASTM D4052	863
Sulfated Ash, wt%	ASTM D874	1,3

# Health, Safety & Environment

Information is provided for products in the relevant Safety Data Sheet (SDS). This provides guidance on potential hazards, precautions and first-aid measures, together with environmental effects and disposal of used products. SDS's are available upon request through your sales contract office. This product should not be used for purposes other than its intended use.

## ISO 9001

### ISO 14001

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.gazpromneft-oil.com

#### ISO/TS 16949

**OHSAS 18001** 

CERTIFIED

While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <u>OilSupport@gazprom-neft.ru</u> 04/2020

## Gazpromneft Premium L 5W-30 recommendations\*

Makes	Models	Engines
CHEVROLET	AVEO,CAPTIVA, LANOS, NIVA, REZZO, VIVA	Gasoline and Diesel before 2006
DACIA	SUPERNOVA, SOLENZA, SANDERO, LOGAN, DUSTER, LODGYM DOKKER	Gasoline before 2004
DAEWOO	MATIZ, NEXIA, GENTRA	Gasoline before 2018
DAIHATSU	CUORE, MIRA, CHARADE, TREVIS, MOVE, SIRION, YOUNG RV MATERIA, TERIOS, COPEN	Gasoline before 2018
DATSUN	MI-DO, ON-DO	Gasoline before 2018
FIAT	500, DOBLO, 600, SEICENTO, PANDA, PALIO, ALBEA, SIENA, IDEA, PUNTO, LINEA, BARCHETTA, BRAVO, STILO, MAREA, CROMA, SEDICI, MULTIPLA	Gasoline and Diesel without particulate filters before 2010
GAZ	3102, 31029, 3110, SIBER	Gasoline before 2018
GEELY	BEAUTY LEOPARD, BORUI, FREE CRUISER, EMGRAND, YUANJIN, VISION, GL EAGLE, HOAQING, LC PANDA, MEIRI ULIOU, KING KONG, JINGYING	Gasoline before 2014
GREAT WALL	FLORID, VOLEEX, COOLBEAR, HAVAL, HOVER	Gasoline before 2011
HAIMA	2, 7, FAMILY, FREEMA, M, S	Gasoline before 2018
HONDA	JAZZ, CIVIC, STREAM, ACCORD, LEGEND, HR-V, CR-V, NSX	Gasoline before 2004 and Diesel without particulate filters before 2005
HYUNDAI	ACCENT, GETZ, MATRIX, SANTA FE, SONATA, TERRACAN, TUCSON	Gasoline and Diesel before 2008
KIA	CARENS, CARNAVAL, CERATO, MAGENTIS/OPTIMA, PICANTO, SORENTO, SPECTRA/SEPHIA/SHUMA, SPORTAGE	Gasoline and Diesel before 2008
LADA	All models	Gasoline before 2018
LIFAN	320, 520, 620, 720	Gasoline before 2018
MAZDA	2,3, 323, 6, ATENZA, CAPELLA, DEMIO, FAMILIA, PREMACY	Gasoline and Diesel before 2004
MITSUBISHI	AIRTREK, CARISMA, COLT, GALANT, GRANDIS, L200, LANCER, CEDIA, LIBERO, MIRAGE, OUTLANDER, PAJERO, PININ, SPORT, SPACE STAR	Gasoline and Diesel before 2009
NISSAN	ALMERA, CUBE, EVALIA, JUKE, LEAF, MAXIMA QX, MICRA, MARCH, MURANO, NAVARA, NOTE, PATHFINDER, PATROL, TER ANO, PIXA, PULSAR, PRIMERA, QASHQAI, SKYLINE, TEANA, TIIDA, X-TRAIL	Gasoline and Diesel without particulate filters before 2018
RENAULT (RUS)	CLIO, DUSTER, FLUENCE, LAGUNA, LOGAN, MEGANE, SANDERO, SCENIC, SYMBOL	Gasoline and Diesel without particulate filters before 2018
SUBARU	IMPREZA, FORESTER, LEGACY	Gasoline before 2005
SUZUKI	ALTO, CELERIO, WAGON, SPLASH, SWIFT, IGNIS, SX4, LIANA, KIZASHI, JIMNY, VITARA, GRAND VITARA	Gasoline before 2005
TAGAZ	VEGA, TAGER	Gasoline before 2018
ΤΟΥΟΤΑ	AVENSIS, CALDINA, CAMRY, CARINA, COROLLA, CORONA, GAIA, HARRIER, HIGHLANDER, HILUX, IPSUM, IST, LAND CRUISER, MARK, NADIA, NOAH, OPA, PLATZ, PREMIO, PRIUS, RAV 4, SUCCEED, VERSO, VISTA, VITZ, WISH, YARIS	Diesel without particulate filters before 2007
UAZ	3151, HUNTER, PATRIOT, PICKUP, CARGO	Gasoline and Diesel before 2018

\* Third party data is used to determine the recommended products. Gazpromneft Lubricants accepts no liability for the suitability of any recommendation made. Any decisions you make based on this information are your sole responsibility. Before adding any products to your vehicle, please always check vehicle/equipment handbook to confirm the suitability of any product recommendations for your vehicle/equipment.

#### ISO 9001

**ISO 14001** 

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.gazpromneft-oil.com

#### SO/TS 16949

**OHSAS 18001** 

CERTIFIED

While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <u>OilSupport@gazprom-neft.ru</u> 04/2020